

DEVGAD LIGHTHOUSE



PROFORMA

Name of Lighthouse : DEVGAD
Location : Head Lightkeeper
Devgad Lighthouse P.O. Devgad,
Dist. Sindhudurg,
Staff Profile : Attended

Brief about lighthouse :

Devgarh Lighthouse is inside the fort about 3 km west of Devgarh town on the National Highway-17. The nearest Railway Station is Kankavli on Konkan Railway, 60 km east of Devgarh. The Lighthouse tower is situated close to the bastion of the Fort on the southern side of entrance to Devgarh harbour, which is a natural harbour. However due to the less depth of water smaller vessels can only enter.

Sl. No.	Factor to be evaluated	Lighthouse specific Lat : 16°23.3'N Long : 73°22.6'E
1.	Size of the Lighthouse (area)	9910 Sq. Meter
2.	Status of land freehold/lease etc.	Freehold
3.	Ownership of land	DGLL
4.	Climatic condition- Temp. & rainfall	Av. Temp 32°C, Rainfall Average 2000-4000 mm (annual)

5.	Tidal range	Range – 03 m to 08 m.
6.	History of Natural Disasters	NIL
7.	Distance from nearest port/harbour (if located on an island)	NA
8.	Distance from nearest airport/railhead	Rail - Kankavali – 60 Kms. Airport – Goa - 200 Kms.
9.	Distance from main city located nearby	Devgad - 05 Kms. from LH
10.	Availability of roads /access to Lighthouse	Motorable road upto LH
11.	Availability and facility of public transport	Bus Service 05 Kms away from LH
12.	Existence of natural harbours/berthing facility / landing arrangement (if located on	NIL
13.	Telecom coverage and availability of electricity	BSNL & All Leading Mobile Operators, MSEB Power Supply
14.	Availability of potable water	Open Well Water Supply
15.	Housing infrastructure	Inspection Quarter – 01,Power House - 01 HLK – 01,NA III – 02,LHA – 02(twin Unit)
16.	Presence of unique flora and fauna	NIL
17.	Presence of natural features- waterfalls, streams, mountains, etc.	NIL
18.	Potential for adventure and water sports	NIL
19.	Presence of local/tribal/folk art	NIL
20.	Nearest tourist destination and distance	Devgad Fort – Near LH Kunkeshwar Temple – 25 kms.
21.	In case, tourism has to be developed on PP mode , then the statutory permissions that would be required and from which agencies	CRZ clearance from MOEF and local bodies.